



11 - Adjusting Printer Settings

Written By: Eric Sutter

TSC Console V1.0.59.1


TSC Console

Printers Functions Tools Advanced About

Group: All


		Printer		Interface	Model	Version	Serial No.	Mileage (K)
<input type="checkbox"/>		GSS-LABEL-PTR-I		10.121.80.117	GSS-LABEL-P...	B1.25 EZD TCF		0.0410
<input type="checkbox"/>		PS-8104AF		10.121.80.83	TX200	A2.12 EZD		0.0717
<input type="checkbox"/>		GSS MOBILE PTR		USB	Alpha-40L	B0.98.002 EZC		0.0089
<input checked="" type="checkbox"/>		GSS-LABEL-PTR-I		USB	GSS-LABEL-P...	B1.25 EZD TCF		0.0428

Step 1 — Connecting & Initializing




- Make sure the printer is connected via USB before powering the printer on. To see how to connect it via USB click [HERE](#) and to see how to confirm it's connection, click [HERE](#).
- Launch the GSS Certified Printer Tool software.
 - If you do not have it downloaded, download [HERE](#).
- Select "Add Printers" in GSS Certified Printer Tool if your printer is not yet connected. If it is, skip this step.
 - Make sure USB is selected by clicking the bullet point next to 'USB,' shown by the orange box.
 - Select the drop down menu, shown by the blue box, to find and select the printer
 - ☑ If it does not show up, try selecting the 'refresh USB list' button shown by the pink arrow. If it still does not appear, try turning off the printer, waiting a moment for it to fully power off, then powering it back on and repeating this step.
 - Select 'OK.'

Step 2 — Navigating to Adv. Printer Settings



- Double click the printer name, to open up the Printer Configuration Menu.
- In the Printer Configuration Menu select the 'Emulation' tab.
- Click on 'Get' in the bottom right hand of the pop up, shown by the orange box.
- *The fields will now populate with information given from the printer, shown by the green box.*

Step 3 — Changing the Darkness



- The Darkness is how dark your printer prints labels.
- The default is preloaded and it is recommended it remains about the same darkness as it came as.
- To change it, click in the text box and enter a number between 0 and 30.
- The closer the number is to 0, the lighter your prints will be.
- The closer the number is to 30, the darker your prints will be.